ALLETESS
MEDICAL LABORATORY
The first step... Alletess

CLIA #22D0080258
14 Howard Street, Rockland, MA 02370

PHONE: 800.225.5404 or 781.871.4426
FAX: 781.871.4182 | www.foodallergy.com

[illegible]

PROVIDER INFORMATION
[illegible]

IgG ELISA Food Panel

SPECIMEN TYPE: Serum

COLLECTION DATE: [illegible]

REPORT DATE: [illegible]

>= 0.400 = CLASS 3
HIGH SENSITIVITY DETECTED

Casein	Cheddar Cheese	Milk, Cow's	Milk, Goat's	Pistachio

0.300 - 0.399 = CLASS 2
MODERATE SENSITIVITY DETECTED

Cashew	Egg, White	Egg, Yolk	Milk, Sheep's	Mozzarella Cheese
Swiss Cheese				

0.200 - 0.299 = CLASS 1
LOW SENSITIVITY DETECTED

Almond	Apple	Black Bean	Chestnut	Coriander
Flounder	Hemp	Kidney Bean	Pear	Pinto Bean
Poppy Seed	Safflower	Soybean	Wheat	Yogurt

Sample Report

Reference Range

<= 0.199 = CLASS 0 No Sensitivity Detected	0.200 - 0.299 = CLASS 1 Low Sensitivity Detected	0.300 - 0.399 = CLASS 2 Moderate Sensitivity Detected	>= 0.400 = CLASS 3 High Sensitivity Detected

Testing performed by Alletess Medical Laboratory

Note: 0.185 - 0.215 should be considered equivocal

Laboratory Director: Dana Semmel, MD

This test was developed, and its performance characteristics determined by alletess, inc. It has not been cleared or approved by the FDA. FDA clearance is not necessary for clinical use of this test. The test results should be correlated with clinical findings.